## AMENDMENTS

## In the Claims:

- (Currently Amended) An isolated nucleic acid molecule defining a promoter which confers or enhances the ability of operably linked sequence to be expressed upon induction, wherein the promoter comprises any one of:
  - a sequence of nucleotides [[as]] <u>having the sequence</u> set forth in SEQ ID NO:3;
- (ii) a fragment of (i) wherein said fragment comprises residues of 2016 to 2384 of SEQID NO:3:
- (iii) a sequence of nucleotides with at least 95% identity to the sequence of nucleotides of(ii); or
- (iv) a sequence of nucleotides complementary to any one of (i), (ii) or (iii),
   wherein, in its native form, the promoter directs expression of a gene encoding
   1-aminocyclopropane-1-carboxylic acid (ACC) synthase and is inducible in response to physical stimulation.
  - 2-6. (Canceled)
- 7. (Currently Amended) An isolated promoter which confers or enhances the ability of operably linked sequence to be expressed upon induction, the operably linked sequence comprising a structural gene or other nucleic acid obtainable by the method of isolating genomic DNA from plant cells, rendering the genomic DNA or portion thereof single stranded and then identifying a region on the genomic DNA which hybridizes to a primer corresponding to all or part of SEQ ID NO:1 or a complementary form thereof and cloning DNA upstream of the region of primer hybridization, wherein the promoter comprises any one of:
  - (i) a sequence of nucleotides [[as]] having the sequence set forth in SEQ ID NO:3;
- (ii) a fragment of (i) wherein said fragment comprises residues of 2016 to 2384 of SEQ ID NO:3:

(iii) a sequence of nucleotides with at least 95% identity to the sequence of nucleotides of(iii); or

- (iv) a sequence of nucleotides complementary to any one of (i), (ii) or (iii), wherein, in its native form, the promoter directs expression of a gene encoding 1aminocyclopropane-1-carboxylic acid (ACC) synthase and is inducible in response to physical stimulation
  - 8. (Canceled)
  - 9. (Previously Presented) The isolated promoter of claim 7 obtainable by the method of:
- (i) amplifying a region of single stranded plant genomic DNA with the primers SEQ ID
   NO:4 and SEO ID NO:5:
- (ii) optionally amplifying the amplified DNA of (i) above with primers selected from SEO ID NO:6 and SEO ID NO:7 or SEO ID NO:8 and SEO ID NO:9;
  - (iii) running amplified DNA on a gel and excising the product of amplification; and
  - (iv) subcloning product and identifying the promoter.
  - 10. (Canceled).
- (Previously Presented) A genetic construct comprising the promoter of claim 1, 7, 9,
   22. 23 or 24.
- 12. (Previously Presented) The genetic construct of claim 11, further comprising a structural or regulatory gene operably linked to said promoter.
- 13. (Previously Presented) A method of altering a characteristic of a plant, said method comprising:

introducing the genetic construct of claim 12 into a cell or group of cells of a plant,
wherein said structural or regulatory gene facilitates the altering of said plant characteristic;
regenerating a plant or plantlet from said cell or group of cells carrying said introduced
structural or regulatory gene; and

growing or subjecting said plant or plantlet to conditions sufficient to induce the promoter operably linked to said structural or regulatory gene.

- 14. (Previously Presented) The method of claim 13, wherein the altered plant characteristic comprises resistance to a plant pathogen, altered nutritional characteristics, expression of a plantabody, an altered biochemical pathway, altered fertility or altered flower color.
- 15. (Currently Amended) A modular promoter, comprising at least one portion which is obtained from a promoter, wherein the at least one portion comprises any one of:
  - (i) a sequence of nucleotides [[as]] having the sequence set forth in SEQ ID NO:3;
- (ii) a fragment of (i) wherein said fragment comprises residues of 2016 to 2384 of SEQ ID NO:3.
- (iii) a sequence of nucleotides with at least 95% identity to the sequence of nucleotides of(iii); or
- (iv) a sequence of nucleotides complementary to any one of (i), (ii) or (iii),
   wherein, in its native form, the promoter directs expression of a gene encoding
   1-aminocyclopropane-1-carboxylic acid (ACC) synthase and is inducible in response to physical stimulation
  - 16-18. (Canceled)
- (Previously Presented) A transgenic plant comprising the nucleic acid molecule according to any one of claims 1 and 22 to 24.
- 20. (Previously Presented) A vegetative or reproductive portion of the transgenic plant of claim 19
  - 21. (Previously Presented) A cut or severed flower from the transgenic plant of claim 19.
- 22. (Currently Amended) The isolated nucleic acid molecule according to claim 1, wherein the ACC synthase comprises an amino acid sequence encoded by a nucleotide sequence [[as]] having the sequence set forth in SEO ID NO:1.

23. (Currently Amended) The isolated nucleic acid molecule according to claim 1, wherein the ACC synthase comprises an amino acid sequence encoded by a nucleotide sequence which hybridizes under stringency conditions of hybridization and washing in 2 X SSC, 0.1% w/v SDS at 45°C to a nucleotide sequence [[ast]] having the sequence set forth in SEQ ID NO:1.

- 24. (Currently Amended) The isolated nucleic acid molecule according to claim 1, wherein ACC synthase comprises an amino acid sequence [[as]] <u>having the sequence</u> set forth in SEQ ID NO:2.
  - 25. (Canceled)
- (Previously Presented) The isolated nucleic acid molecule according to claim 1,
   wherein the promoter comprises a fragment comprising residues of 1773-2384 of SEQ ID NO:3.
- 27. (Previously Presented) The isolated nucleic acid molecule according to claim 1, wherein the promoter comprises a fragment comprising residues of 1601-2384 of SEQ ID NO:3.
- 28. (Previously Presented) The isolated nucleic acid molecule according to claim 1, wherein the promoter comprises a fragment comprising residues of 1357-2384 of SEQ ID NO:3.
- 29. (Previously Presented) The isolated nucleic acid molecule according to claim 1, wherein the promoter comprises a fragment comprising residues of 1189-2384 of SEQ ID NO:3.
- (Previously Presented) The isolated nucleic acid molecule according to claim 1,
   wherein the promoter comprises a fragment comprising residues of 819-2384 of SEQ ID NO:3.
- (Previously Presented) The isolated promoter of claim 7, wherein the promoter comprises a fragment comprising residues of 1773-2384 of SEQ ID NO:3.
- (Previously Presented) The isolated promoter of claim 7, wherein the promoter comprises a fragment comprising residues of 1601-2384 of SEQ ID NO:3.
- (Previously Presented) The isolated promoter of claim 7, wherein the promoter comprises a fragment comprising residues of 1357-2384 of SEQ ID NO:3.

34. (Previously Presented) The isolated promoter of claim 7, wherein the promoter comprises a fragment comprising residues of 1189-2384 of SEQ ID NO:3.

35. (Previously Presented) The isolated promoter of claim 7, wherein the promoter comprises a fragment comprising residues of 819-2384 of SEQ ID NO:3.